

AND IN THE SAME INDUSTRY,
MAKE BEST UNDERCARRIAGE PARTS
IN ORDER TO CREATE BETTER
造好底盘



**PROFESSIONAL PRODUCTION
OF EXCAVATOR
UNDERCARRIAGE PARTS**

专业生产挖掘机底盘配件

CREATE A "FIRST-CLASS SERVICE IN THE
FIELD OF ENGINEERING MACHINE MANUFACTURER"

打造"工程机械领域一流服务制造商"

泉州市禾力机械制造有限公司

QUANZHOU HELI MACHINERY MANUFACTURING CO., LTD.


地址:福建泉州市鲤城区金龙街道曾林社区紫山路

Zishan Road,zenglin community,jinlong street,licheng area,

Quanzhou,Fujian Province,P.R.CHINA

Tel:+ 86(0595)22473176 + 86(0595)22421478 Fax:+ 86(0595)22473176

<http://www.heliqz.com> E-mail:cqc@cqctrack.com



SINCE 2005

HELI LARGE UNDERCARRIAGE PARTS MANUFACTURER

禾 | 力 | 大 | 底 | 盘 | 制 | 造 | 商



ENTERPRISE BRIEF INTRODUCTION

企业简介

企业成立于2005年，是一家从事生产制造及销售工程机械配件的公司，企业主要生产产品为挖掘机底盘配件（支重轮，托链轮，引导轮，驱动齿，履带总成等）。企业目前规模：总占地面积60余亩，员工200余名，集锻铸机加工为一体的全产业链企业。

我们长期致力于研发和制造工程机械底盘配件，目前产品覆盖1.5-300吨位的绝大多数底盘配件。目前企业主要生产50吨位以上的底盘配件，拥有成熟的生产工艺和稳定的产品质量，已经经过多年的市场考验。“大底盘，禾力造”已经成为我们禾力人为之奋斗的新动力。公司在大吨底盘深耕的同时，也保证市场对小吨位的需求，产品生产覆盖全方位，全品类，高质量的产品，以满足各类客户不同挖机的需求。

我们的产品客户群体多样性。为国内多家主流整机企业做OEM或ODM，用于整车组装。我们拥有30多家国内代理商，同时远销中东、南美、东南亚等海外市场。

未来我们会继续在工程机械领域不断前进，生产出世界一流的底盘配件，为基础设施建设及矿山采掘不断贡献我们微薄之力！

Our company was established in 2005, It is a company engaged in the production, manufacturing and sales of construction machinery parts. The main products of the company are excavator undercarriage parts (track roller, carrier roller, sprockets, idler bucket tooth, track GP, etc.). The current scale of the enterprise: a total area of more than 60 mu, more than 200 employees, and more than 200 CNC machine tools, casting, forging and heat treatment equipment.

We have been committed to the research and development and manufacture of construction machinery undercarriage parts for a long time. At present, our products cover most of the undercarriage parts of 1.5-300 tons. In Quanzhou Engineering Parts Undercarriage Production Base, it is one of the enterprises with the most complete product categories.

At present, the company mainly produces undercarriage parts of more than 50 tons. It has mature production technology and stable product quality, and has passed the market test for many years. "Big undercarriage parts, made by CQC" has become It is the motivation of Heli empolyees are striving toward of us. Of course, while developing large-tonnage undercarriage parts, our small and micro excavator undercarriage parts are also making continuous progress. The production covers all aspects, all categories, and high-quality products to meet the needs of various customers with different excavators.

At present, our products have spread all over the world. In the future, we will continue to advance in the field of construction machinery, produce world-class undercarriage parts, and continue to contribute our meager strength to the world's infrastructure construction!

STREAMLINE THE PRODUCTION, QUALITY CONTROL MANAGEMENT SYSTEM 流程化的生产、品控管理体系

公司以“改革创新，质量第一，信誉至上”为宗旨，竭诚为广大用户服务。

Company to "innovation, quality first, reputation first" as the objective, wholeheartedly for the general user services.

部分机加工车间的真实照片，通过有效的管理和工厂布局设计，让生产流程变得更加简单高效，从而降低生产成本，提高产品稳定性。同时我们的实验室拥有成套的化验设备以及配套的技术人才，从原材料开始把控质量。

The background is a real photo of some machining workshops. Through effective management and factory layout design, the production process becomes simpler and more efficient, thereby reducing production costs and improving product stability. At the same time, our laboratory has a complete set of laboratory equipment and supporting technical personnel to control the quality from raw materials.



1: 金相显微镜 (材料微观组织分析) 2: 冲击试验机 (产品冲击韧性检测)

硫化分析仪

直读光谱仪 (材料化学成分分析)

荣誉 / HONORS

公司获得福建省高新技术企业认证：获得ISO9001质量管理体系认证，属于福建省科技型中小企业。

The company has obtained the high-tech enterprise certification of Fujian Province, obtained the ISO9001 quality management system certification, and belongs to the small and medium-sized technology-based enterprises in Fujian Province.



承载 / BEARING LOAD

支重轮的作用是将挖掘机重量传给地面，并在链轨上滚动。我们目前生产的支重轮种类覆盖1.5-300吨位的挖掘机。我们的支重轮采用双镜面密封技术，可以获得非常可靠的密封性能，稳定的热处理工艺保障了轮体及边缘的耐磨性，大大提高了产品的使用寿命。

The track roller is to pass the weight of the excavator to the ground and roll on the track chain rail. We currently produce the weight of 1.5-300 tonnage excavators track rollers. Our track roller use Double mirror sealing technology, which can obtain very reliable sealing performance. The stable thermal treatment process guarantees the abrasion resistance of the roller and edge, which greatly improves the service life of the product.






MODEL: PC750



MODEL: ZAX870



MODEL: SY750



MODEL: EX3000



MODEL: CX800



MODEL: EC950

支重轮产品型号/ TRACK ROLLER

小松 KOMATSU	日立 HITACHI	卡特 CAT	神刚 KOBELCO	住友 SUMITOM	大宇 DAEWOO	斗山 DOOSAN	现代 HYUNDAY	沃尔沃 VOLOV
PC30	EX55	E305.5/E55	SK55	SH60	DH35	DX60	R60/R60-5/-7	EC55B
PC40	EX60	E306	SK60-3	SH120	DH55	DX60-9	R80	EC80
PC45	ZAX70/EX70	E70B/C307	SK60-5	SH120A3	DH60	DX800	R130/R150	EC140
PC50/55	EX100	E70B双边	SK60-8	SH200/SH280	DH80		R200/225-7	VOL140
PC60-6	ZAX130	E312/c100	SK100	SH220/340	DH130/150		R220-9	EC210
PC60-7	EX200-1	E320/E200B	SK140	SH300	DH220		R250-9	VOL210(新)
PC100	EX200-2/-5	E324	SK200	SH350	DH220-9		R275-9	EC220D
PC200	EX300	E325/325	SK270	SH350大	DH300		R290/R305	VOL290
PC300/-5	ZAX330	E330	SK330/SK350	SH450	DH360/400		R370	VOL360
PC400/PC450	EX400/DX380	E345	SK380-10	SH460	DH500		R485-9	EC460
PC650-8	EX550	E350	SK450/460	SH700	DH700		R500	EC700
PC650-5/750	ZAX650	E375	SK850				R800	EC950
PC800	ZAX750	E385						
PC1000	ZAX870	E390						
PC1250	EX1100	E6013						
PC2000	EX1200-6	E6015						
	EX1800							
	EX3000							

玉柴 YUCHAI	加腾 KATO	杰西博 JCB	久保田 KUBOTA	洋马 YAMMAR	竹内	凯斯 CASE	福田	石川岛 ISHIKAWA ISLAND
YC35	HD250/HD307	JCB8056	KX35	YM55	TB150	CX35	FT60	IHI50/60
YC60	HD450	JCB220	KX60/50/55	YM75	TB160	CX75	FT85	IHI100
YC85	HD770/HD700	JCB360	KX85		TB171/175	CX360	FT150	IHI50/60
YC135	HD1023	JCB550				CX800	FT220	IHI135
	HD1250/1430						FT350	
	HD1638						FT480	

三一 SANY	厦工 XCMG	山河智能 SUNWARD	詹阳	柳工 LIUGONG	龙工	利勃海尔 LIEBHERR	徐工 XCMG	其他
SY75/65	XG8360	SWE50 (双边)	ZY200	CLG906	LG6065	R914/LBH	XG370	JD360
SY215	XG8330	SWE智能50	ZY300	CLG150	LG65	R924/LBH	XG700	宇通/ET360
SY335/365	XG8250/8220	SWE智能60/65		CLG200/925	LG6150	R944/LBH	XG900	彭浦60
SWZ216D(SY395)	XG815	SWE70		CLG936	LG6235	R944SME/LBH	XG1200	阿特拉斯
SY405	XG808	SWR22		CLG945	LG6285	R974/LBH	XG2000	
SY485	XG806	SWR220		CLG950	LG6360	R984	XG3000	
SY550		SWR250		CLG970	LG6490	R9100		
SY650		SWR280		CLG990				
SY750		SWE470						
SY850								
SY950								

产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.

SERIES

引导轮 IDLER

引 导 / IDLER

引导轮的作用是配合涨紧装置保障履带总成的松紧度，引导履带总成正确的行走，绕卷。我们目前生产的引导轮覆盖1.5-300吨位的挖掘机。采用双镜面密封技术和热处理技术，提高产品寿命。

The idler is to combine the tightening of the tensioning assembly to ensure the tightness of the track assembly, and guide the track assembly to walk correctly and roll around. The idler we are currently produced cover a 1.5-300 tonnage excavator. It adopts the same sealing technology and heat treatment technology as the track roller, and both have a long service life.




MODEL: ZAX870



MODEL: ZX670



MODEL: E390



MODEL: ZX650



MODEL: PC800



MODEL: SY750



MODEL: PC1000



MODEL: SK850



MODEL: E365

产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.



引导轮产品型号/TECHNICAL PARAMETERS

小松 KOMATSU	日立 HITACHI	卡特 CAT	神刚 KOBELCO	住友 SUMITOM	大宇 DAEWOO	现代 HYUNDAY	沃尔沃 VOLOV
PC40	ZAX55/EX55 /ZAX60	E55/E305.5/E306	SK55	SH60	DH55	R55	EC55B
PC55/56	EX60-2	E70B/E307	SK60/SK75	SH120	DH80	R60	EC80
PC60/PC60-5	ZAX70	E120B/312	SK60-8	SH120A3	DH130/150	R80	EC140
PC90	EX100	E200B/E320	SK100/SK140	SH200/280/210/240	DH220	R130/R150-9	VOL140
PC100/PC120	EX150	E324	SK200/SK230	SH210-A6	DH258	R200/R210	EC210/240
PC200-3	EX200-2	E325/325	SK220	SH220	DH280/300	R225-7	EC290
PC200-5	EAX200/	E330	SK270	SH240	DH360/DH420	R265-7/R265	VOL290/110
PC200花体	ZAX200-5G	E336	SK330/SK350	SH300/A3	DH370-9	R290	EC360
PC300-5	EX300-1	E345	SK330-8(超8)	SH350	DH500	R305/	EC380
PC360-8	EX300-5	E365D	SK330-10	SH360	DH700	R360	EC460/480
PC400	EX360-5G	E375	SK450	SH400-1		R450	VOL700
PC600-5	EX400	E375岩石臂	SK850	SH450		R485\505\520	VOL700岩石臂
PC650-8	ZAX450	E390		SH460		R800	EC900
PC750/800	EX550/ZAX650	E390岩石臂		SH700			
PC800岩石臂	ZAX670						
PC1000	ZAX850						
PC1250	EX800						
PC2000	ZAX870						
	ZAX870岩石臂						
	EX1200-5						
	EX1200-6						

玉柴 YUCHAI	詹阳	山河智能 SUNWARD	久保田 KUBOTA	竹内	洋马 YAMMAR	凯斯 CASE	宇通	石川岛 ISHIKAWA ISLAND	中联 ZOOMLION
YC35	ZY200	SWE50	KX50/60/161	TB150/160	YM55	KC55	YT300D	IHI100	ZE230
YC85	ZY300	SWE70/60	KX85/185	TB175	YM75	KC75	开山135		ZE280
YC135						KC360			ZE360

斗山 DOOSAN	利勃海尔 LIEBHERR	杰西博 JCB	柳工 LIUGONG	加腾 KATO	三一 SANY	徐工 XCMG	其他
DX60	R916/LBH	JCB220(280x80)	CLG906/短	HD250	SY65	XG280	晋工924
DX60-9	R934/LBH	JCB220(280x90)	CLG906E/长	HD450	SYR360	XGR360	XG806
DX75/80	R944/LBH	JCB240	CLG908	HD700/820/1023	SY485	XG700/XDY	临工85/E6085
DX140/150	RSME/944	JCB290	CLG908E/长	HD1250/HD1430	SY700	XG900	福田FT85
DX200/DX260	R974/LBH	JCB360/370	CLG915	HD1638	SY900		JD约翰迪尔936
DX300	R9100		CLG933/936				国机100
DX380			CLG948/950				彭浦60
DX480/500			CLG970				
DX520			CLG990				
DX800							

产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.

SERIES

驱动轮
SPROCKET



驱 动 / SPROCKET

驱动齿的作用是将马达的驱动力传递到履带总成上，带动挖掘机行走。我们目前生产的驱动齿覆盖1.5-300吨位的挖掘机。我们的驱动齿采用整圈淬火，有效的淬火深度保证了驱动齿的耐磨性，延长了使用寿命。

The function of sprocket is to transmit the driving force of the motor to the track chain assembly to drive the excavator to walk. The sprocket we currently produce cover excavators with a capacity of 1.5-300 tons. Our sprocket are hardened on the whole ring, and the effective quenching depth ensures the wear resistance of the sprocket and prolongs the service life.



型号: ZAX870

MODEL: PC1250

MODEL: PC650-8



MODEL: PC800

MODEL: SY700

MODEL: EC700

驱动轮产品型号/ SPRCOKET

小松 KOMATSU	日立 HITACHI	卡特 CAT	神刚 KOBELCO	徐工 XCMG	现代 HYUNDAY	沃尔沃 VOLOV
PC40/9孔/12孔	EX55(9)(12)	E305.5(9)(12)	SK60-3/60	XG220D	R55	EC55B
PC60-5	ZAX60	E70B/内径265	SK60-8	XG270	R60/R60-7	EC80
PC60-6/7	EX70	E70B/内孔大	SK75	XG280/20孔	R80	EC140
PC75	ZAX70-5A	E307/12H	SK100/SK120	XG280/36孔	R130	EC210
PC78/14孔	EX100/EX120	E307D/15H	SK140	XG335	R150-7	EC240
PC100/5/6	EX135(370)	E200B	SK200	XG370(24孔)	R200/22孔/30孔	EC250D
PC200-5/6/7	ZAX135(383)	E320	SK230/SK230-6E	XG370 (28孔)	R275-9/410	EC290
PC300-3/5	EX150	E325	SK200-8	XG370 (32孔)	R275/402	EC300
PC300-6/7	EX200-1/415/420	E329悬挖钻	SK250-8	XG700/XDQ260(26)	R290=DH300大	EC360
PC360-8	EX200-2	E330	SK220	XG700/32	R305	VOL380
PC400-6	EX200-3/5	E345岩石臂	SK270(30)	XG900	R320	EC460
PC650-8	EX200-8	E345	SK330/SK350大	XG390	R360	VOL480
PC650-8岩石臂	EAX240电喷	E350	SK450	XG400/32	R450	VOL700
PC800	ZAX270	E374/E365	SK450岩石壁	XG490	R520	VOL700岩石臂
PC800岩石壁	EX300-3/ZAX330	E375	SK850		R800	VOL950岩石壁
PC850	EX300-5	E375岩石臂	SK850岩石臂			
PC850岩石臂	ZAX360/EX360-3	E390/E385				
PC1250	EX400/450/5	E390/E385勾臂				
PC2000	ZAX650	E6013				
	EX800/ZAX870	E6015				
	ZAX870岩石臂					
	EX1100					
	EX1200					
	EX1200岩石壁					

三一 SANY	柳工 LIUGONG	住友 SUMITOM	中联	利勃海尔 LIEBHERR	山河智能 SUNWARD	加腾 KATO
SY65/久保田85	CLG906	SH120	ZE80/21T*26H*230	R914/LBH	SWE (SWR220X24)	HD307
SY215(20x370)	CLG906/3孔1组	SH200/SH220	ZE (ZR220)	R914三孔一组	SWE (SWR280X36)	HD450E312
SY215(20x375)	CLG908	SH280	ZE (ZR250)	R916/21T/LBH	SWE20T*24H*430	HD700
SY335(26x435)	CLG915/SY135-9/18H	SH300	ZE (ZR280)	R926/LBH	SWE330	HD820/22
SY365(26x450)	CLG925	SH350	ZE (ZR360)	R934/23T/22T	SWE360(SWR42)	HD820/26
SY365(20*436)	CLG933/936	SH700		R944/LBH/21T	SWE470	HD1250
SY365(20x430)	CLG948/950			R944SME/23	SWE60	
SY365(20x400)	CLG950/节距228			R974/LBH	SWE70/9H	
SY365(20x375)	CLG970				SWE70/12H	
SY460/SY465					SWE70/3孔1组	
SY700/750					SWE80	
三一 (SWR280)						

玉柴 YUCHAI	大宇 DAEWOO	斗山 DOOSAN	久保田 KUBOTA	石川岛 ISHIKAWA ISLAND	竹内 杰西博 JCB	凯斯 CASE	其他
YC35/9H/12H	DH500岩石臂	DX380	KX85/SY65	IHI80	TB150 JCB220	CX800	沃德65
YC60	DH500	DX480	KX183	IHI100/14/16	TB160 JCB370		振宇80
YC85		DX800岩石臂			TB175		宝峨26
YC135							厦工XG808
							开元70
							詹阳ZY200-3/5
							E6225
							E6360

产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.

SERIES

托链轮

CARRIER ROLLER

托 起 / HOLD UP

托链轮的作用是托住履带，防止履带下垂过大，以减少履带在运动过程中的震跳现象，并防止履带侧向滑落。我们目前生产的托链轮覆盖1.5-300吨位的挖掘机。跟支重轮采用同样的密封技术和热处理技术，都具有较长的使用寿命。

The carrier roller is to hold the track chain and prevent the track chain from drooping too much, so as to reduce the vibration of the track chain during the movement and prevent the track from slipping sideways. The carrier roller we currently produce cover excavators with a capacity of 1.5-300 tons. It adopts the same sealing technology and heat treatment technology as the track roller, and both have a long service life.



MODEL: PC750



MODEL: PC650



MODEL: R800-9



MODEL: E200B

托链轮产品型号/ CARRIER ROLLER

小松 KOMATSU	日立 HITACHI	卡特 CAT	神刚 KOBELCO	住友 SUMITOM	现代 HYUNDAY	沃尔沃 VOLOV
PC30	EX70	E55/E305.5	SK60轴34/SK75	SH60/SH75/CX7B60		EC55B
PC40	EX60/55	E305.5	SK100/140	SH80	R80	EC80
PC60-7/SK60	EX100	E306	SK200/46	SH120	R130/R150	EC210/EC240
PC60-6/PC60	EX200-2	E70B/E307	SK230/51	SH200/SH280	R200/R220-7	EC220D
PC100	EAX240	E307D	SK250	SH350	R290/305/360	EC290/R290
PC200-5	EX300	E120B/E312	SK270	SH450	厦工806F	EC360
PC200-7	ZAX330	E200B/E320	SK330/350	SH700	R800-7	EC460
PC200-8/220-8	EX400/450	E325/330	SK460			EC700
PC300-5/6	EX550	E345	SK850			EC900
PC300-7带座	EX650	E350	山河智能 SUNWARD	加腾 KATO	利勃海尔 LIEBHERR	柳工 LIUGONG
PC360-7带轴	ZAX870 (160X70)	E365/375				
PC400/6	EX1000 (170X85)	E390	SWE60	HD250	R914/LBH	CLG906
PC400/7	EX1100		SWE70	HD700/820	R944/LBH	CLG950
PC450-8	EX1800		SWE220	HD1250/1430	RSME/R944	CLG970
PC650-8				HD1638	R974/LBH	
pc750/800						
PC1250						
PC2000						

玉柴 YUCHAI	大宇 DAEWOO	斗山 DOOSAN	久保田 KUBOTA	竹内	凯斯 CASE	石川岛 ISHIKAWA ISLAND	徐工 XCMG	其他
YC35	DH55	DX150	KX50	TB150	CX380	IHI50	XG215	詹阳ZY200
YC85	DH80	DX215-9	KX185	TB160	CX360	IHI68	XG215(两边带轴)	JCB460
YC135	DH80 (带座)	DX300/DH370-9		TB175	CX480		XG470	E6150
	DH130/DH150	DX500			CX800		XGE700	LG65
	DH220						XGE900	YM55
	DX200/DH260							
	DH280/300							
	DH360/420/500							


产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.



带 领 / WITH LED

链条在挖掘机上能够起到牵引、传动的作用。链条是由链片、链销、链通及密封垫组成。链片我们采用的是35MnB材料，利用先进的数控机床进行加工，保证各个零件的加工精度和表面光洁度，链通、链销都进行热处理，保证他的耐磨性，每片链片经过热处理后，都进行探伤检测，保证每片链片的品质，从而提高整体的使用寿命。

The track links can play the role of traction and transmission on the excavator. The track links is composed of chain pieces, chain pins, chain bushes and gaskets. We use the 35MnB material for the chain piece, and use advanced CNC machine tools for processing to ensure the machining accuracy and surface finish of each part. The chain bush and chain pins are all heat-treated to ensure their wear resistance. After each piece of chain piece is heat-treated , are tested for flaw detection to ensure the quality of each chain piece, thereby improving the overall service life.



序号 No.	型号 Moedl	T	A	B	C	D	d	E	F	G	H	J	K	L	适用机型 / Machine
01	W260GA	260	235	184.2	76.2	85.3	57	27.5	133	321	266.2	87.3	152	79	EX700*47 ZX1000*51
02	W228GA	228	184	144	76.2	71.5	47	24.5	109	254	210	71.4	129	70	PC400-6*46
03	W216MD	216	184	146	76.2	74.3	47	24.4	106	252	209.2	63	129	70	PC400-5X49 EX 400-5X49
04	W216ME	216	178.4	140.4	76.2	66.8	44.6	22.4	101.6	242	197.6	63	116	64	EX300-5X45 EX300-6 EX330-5X48 PC300-6X45
05	W216MF	216	178.4	140.4	76.2	71	47	22.4	102.2	247	202.2	64.3	125.5	70	SH330X 47
06	W216MH	216	190	140	76.2	68	46	22.4	103	248	211	69	124	68	E330X 45
07	W21 6MI	216	184	146	76.2	71	47	22.4	106	252	209.2	63	129	70	PC400-1/3X49 EX400-1X49 DH450X 53
08	W203MC	202.8	179	129	72	64	42	20.4	94	235	194	62	115	64	E325X48
09	W203MD	203.2	178.4	138.4	72	66.8	44.6	22.4	101.6	244	201.6	58	116.4	64.4	PC300-5X 47
10	W203ME	203.2	178.4	138.4	72	66.8	44.6	20.4	101.6	244	201.6	58	116.4	64.4	EX270-1/5X47 DH280LCX51 EX300-1/2/3X47
11	W203MH	203.2	186.2	148.2	76.2	66.8	44.6	19.4	112.4	254	212.4	58	116.4	64.4	R944X 51
12	W 190MA	190	160.4	124.4	62	59.3	38	20.4	81.6	220	174	58	105	58	PC200-5X 45 DH220X 49 SW200X54 HXW200X 46
13	W 190MB	190	160.4	124.4	62	59.3	38	20.4	81.6	213	169.6	58	105	58	EX220-2.3.5X 47
14	W190MC	190	155.6	119.6	69	58.8	36.6	20.4	82.2	220	174.2	58	106	60	E200BX 45 E320X 45 E240BX 46 SK200X45
15	W190MD	190	160.4	124.4	62	59.3	38	18.4	81.6	220	174	58	105	58	PC200-3X 45
16	W190ME	190	160.4	124.4	62	59.3	38	18.4	81.6	213	169.6	58	105	58	EX200-2.3.5X 46
17	W1 75MA	175.5	144.5	125.4	58.7	58.8	36.6	18.4	77.5	214	169.5	57.2	103.2	59.7	EX200-1X 48
18	W175MB	175	102.4	86.4	57	46.6	30.3	16.4	50.4	170	122.4	54	86	47	PC100-5/6X40 PC120-5X40 PC120/130-6X42
19	W175MC	175	158.4	122.4	57	55.3	38.3	18.4	84.6	218	173.2	54.3	101.5	56.5	HD800 HD700
20	W171MA	171.45	144.5	125.4	58.7	54	36.6	16.4	83.5	212	167.5	56.3	101.6	58.8	R200X54 R210LC K907
21	W171MC	171.45	108	108	60.3	50.7	33.8	16.4	70	181	144.8	55.57	95	51	EX100 R900R902 R912LC EX120 K904 K905 E110 E120 E140 EC130
22	W171MD	171.45	108	108	60.3	50.7	33.8	14.5	70	181	144.8	55.57	95	51	HD400X43 R901 R911 R912 R921 R922 R925
23	W171ME	171.45	108	108	60.3	47.3	30.3	16.5	58.6	170	129	55.57	90.2	49.5	EX130X 45 SK120X 43 SK100
24	W154MA	154	89	73	57	41.4	24.2	14.4	45	130	104.2	44	74	40.5	PC60-6X38 PC75X39 SK60
25	W 154MB	154	112.4	82.4	57	46.6	30.3	14.4	49.4	170	125.4	44	87	47	PC100-1/2/3X 43 PC100-3X 43 HD350X43
26	W154MC	154	90	90	55	46.6	30.3	14.4	56	158	127	47.5	80	42	EX60- 1/2/3/5
27	W 140GA	140	86	86	52	37.2	25.3	12.4	57.6	140	114.4	44	70	38	RH2.5
28	W 140MB	140	86	86	52	40.2	28.2	14.4	55	139	115	44	75	40	DBC8085X42 KY70X 40 KY85X42
29	W 135MA	135	99	72	43.2	41.2	24	12.4	44	141	108	42.5	75	35	PC60-3,5X42 DBC8060X 41
30	W135GB	135	98.4	74.4	46	35.2	22.7	12.4	51	131	99	41	65	35	KY60X 39
31	W 135GC	135	93.8	63.8	46	35.2	22.7	12.4	40.4	124	87.4	41	65	35	PC40-7 SK45
32	W 135GD	135	104	80	46	35.2	22.7	12.4	52	140	105	41	65	35	EX40 EX45
33	W 135GE	135	88	58	46	35.2	22.7	12.4	34.6	117	81.6	41	65	35	KY50X35
34	W 135GF	135	85	55	46	35.2	22.7	12.4	31.6	115	78.6	41	65	37	PC40-5/6
35	W101 GA	101.6	55	55	22	32.2	19.2	10.4	35	94	76	40	63	37	EX22 EX25 EX30 EX35 PC10 PC20 PC30 PC35R
36	W101 GB	101.6	/	/	/	32.2	19.2	/	44	103	8	/	63	32.5	IHI30J
37	W101GC	101.6	/	/	/	32.2	19.2	/	45	106	8	/	6	32.5	SK025 SK030 SK032 SK035

产品图片仅供参考，准确信息以实物为准。 / Product photos are for reference only, accurate information in kind shall prevail.

SERIES

轨链总成

TRACK LINKS
ASSEMBLY